




AIR CONDITIONING SYSTEMS

WALL MOUNTED UNIT

• PRODUCT FICHE



MODELS:
K2VI32-09WFI/K2VO32-09
K2VI32-12WFI/K2VO32-12



Contents

English.....3

PRODUCT FICHE

NAME OR TRADEMARK: INVENTOR

KING PLUS	K2VI32-09WFI/K2VO32-09	K2VI32-12WFI/K2VO32-12
Sound power level at standard rating conditions (indoor/outdoor) (dB(A))	56/61	57/62
Refrigerant/Mass (Kg)	R32/0.74	R32/0.74
GWP	675	675
CO ₂ equivalent (tonnes)	0.50	0.50
SEER	8.75	8.75
Energy class in cooling mode	A+++	A+++
Annual electricity consumption in cooling [1] [KWh/y]	104	140
Design load in cooling mode (P design) [KW]	2.6	3.5
SCOP (average heating season)	5.1	5.1
Energy class in heating (average season)	A+++	A+++
Annual electricity consumption in heating (average season) [2] [KWh/y]	714	727
Warmer heating season	-	-
Colder heating season	-	-
Design load in heating mode (P design average season) [KW]	2.6	2.65
Back up heating capacity at reference design condition (heating average season) [KW]	0.4	0.4

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

Contains fluorinated greenhouse gases.

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.