


AIR CONDITIONING SYSTEMS

WALL MOUNTED UNIT

• PRODUCT FICHE



MODELS:

MFVI-09WFI/MFVO-09 MFVI-12WFI/MFVO-12 MFVI32-09WFI/MFVO32-09 MFVI32-12WFI/MFVO32-12 MFVI32-18WFI/MFVO32-18 MFVI32-24WFI/MFVO32-24



Contents

| English | .3 |
|---------|----|
| 0 | |

PRODUCT FICHE

NAME OR TRADEMARK: INVENTOR

| Comfort | MFVI-09WFI/ MFVO-09 | MFVI-12WFI/ MFVO-12 | MFVI32-09WFI/ MFVO32-09 | MFVI32-12WFI/ MFVO32-12 | MFVI32-18WFI/ MFVO32-18 | MFVI32-24WFI/ MFVO32-24 |
|--|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Sound power level at standard rating conditions (indoor/outdoor) (dB(A)) | 53/59 | 55/61 | 53/59 | 55/61 | 57/63 | 60/70 |
| Refrigerant/Mass (Kg) | R32/0.63 | R32/0.78 | R32/0.65 | R32/0.94 | R32/0.95 | R32/1.30 |
| GWP | 675 | 675 | 675 | 675 | 675 | 675 |
| CO ₂ equivalent (tonnes) | 0.43 | 0.53 | 0.44 | 0.63 | 0.64 | 0.88 |
| SEER | 8.5 | 8.5 | 8.5 | 8.5 | 7.2 | 7.1 |
| Energy class in cooling mode | A+++ | A+++ | A+++ | A+++ | A++ | A++ |
| Annual electricity consumption in cooling [1] [KWh/y] | 107 | 144 | 107 | 144 | 253 | 345 |
| Design load in cooling mode (P design) [KW] | 2.6 | 3.5 | 2.6 | 3.5 | 5.2 | 7.0 |
| SCOP (average heating season) | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.0 |
| Energy class in heating (average season) | A++ | A++ | A++ | A++ | A++ | A+ |
| Annual electricity consumption in heating (average season) [2] [KWh/y] | 731 | 854 | 731 | 854 | 1401 | 1959 |
| Warmer heating season | - | - | - | - | - | - |
| Colder heating season | - | - | - | - | - | - |
| Design load in heating mode (P design average season) [KW] | 2.4 | 2.8 | 2.4 | 2.8 | 4.6 | 5.6 |
| Back up heating capacity at reference design condition (heating average season) [KW] | 0.35 | 0.4 | 0.35 | 0.4 | 0.80 | 0.9 |

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

Contains fluorinated greenhouse gases.

Note: Please check the model information above according to the model name on the nameplate.

^{[1] [2]} Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.